HEATCON COMPOSITES SYSTEMS
US Location - Materials Expiring List
Last Updated: 102626

HCS Part #	Part Description	Expr. Date	O/H Qty
HCS2404-218	ADHESIVE FILM, 3M AF-3109 2U, .035 WT 1 ROLL = 48" WIDE X 25 YD, STORE AT OR BELOW 0 DEG F **DANGEROUS GOODS SHIPPERS DEC REQ** *SDS & CERTS*	11/1/2026	10
HCS2404-218-10	ADHESIVE FILM, 3M AF-3109 2U, .035 WT, CUT 48" X 10 YD, STORE AT OR BELOW 0 DEG F *SDS & CERTS*	11/1/2026	1
HCS2401-035-10	PREPREG FIBERGLASS, BMS8-79 ST7781- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-79 CL III STY 7781 GRADE A OR B FORM A (F155-5) 250F CURE *SDS & CERTS*	11/8/2026	2
HCS2401-015	PREPREG FIBERGLASS, BMS8-79 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (120 38" F155-5:45%) 1 ROLL = 38" X 100 YDS APPROX, 250F CURE *SDS & CERTS*	11/09/2026	1
HCS2401-015	PREPREG FIBERGLASS, BMS8-79 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 120 GRADE A OR B FORM A Rev AE (120 38" F155-5:45%) 1 ROLL = 38" X 100 YDS APPROX, 250F CURE *SDS & CERTS*	11/09/2026	1
HCS2406-012	ADHESIVE PRIMER STRUCTURAL, 3M EW 5000, GALLON, BMS 5-89 TY III REV T, BMS 5-137 TYPE I CL 4 REV M, AMBIENT TEMPERATURE DRYING, 250 DEGREE CURE,STORE IN REFRIGERATED CONDITION 35-55 DEGREES F , DO NOT FREEZE. DANGEROUS GOODS SHIPPERS DEC. REQ. ** SDS AND CERTS REQUIRED **	11/11/2026	1
HCS2402-015	PREPREG GRAPHITE BMS8-168, HEXCEL 42" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-168 3K-70-PW TYPE II & III, CL 2, (AS4CGP193P;155A;42%;42") 1 ROLL= 42" WIDE X 75 YDS APPROX, 250F CURE *SDS & CERTS*	11/12/2026	68
HCS2402-015	PREPREG GRAPHITE BMS8-168, HEXCEL 42" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-168 3K-70-PW TYPE II & III, CL 2, (AS4CGP193P;155A;42%;42") 1 ROLL= 42" WIDE X 75 YDS APPROX, 250F CURE *SDS & CERTS*	11/12/2026	74
HCS2402-015	PREPREG GRAPHITE BMS8-168, HEXCEL 42" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-168 3K-70-PW TYPE II & III, CL 2, (AS4CGP193P;155A;42%;42") 1 ROLL= 42" WIDE X 75 YDS APPROX, 250F CURE *SDS & CERTS*	11/12/2026	4
HCS2404-170	ADHESIVE FILM, Henkel, BMS5-101 TYPE II GRADE 10 & BMS5-129 TYPE 2 AND TYPE 4 CLASS IIE GRADE 10 REV L & DMS2465 TY1 CL1 GRA, EA9696 .060NW, Roll Size 36" Width X 55 YDS Length, Store at or below 0 degrees F, **SDS&Certs**	11/12/2026	15
HCS2404-190-05	ADHESIVE FILM, BMS5-101TYII GR5 OST, ALSO CERTIFIED TO BMS5-129 TY4 CLIID GR5 REV L, WT .03, 3M (AF163-2OST) * CUT TO 36" WIDE X 5 YD LONG * HIGH TACK NON-WOVEN SUPPORTING MAT CARRIER STORE AT OR BELOW 0 DEG F 250F CURE ** SDS & CERTS **	11/18/2026	1
HCS2401-045	PREPREG FIBERGLASS, BMS8-139 ST120, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 120 (120 38" F161-108:42%) 1 ROLL = 38" X 100 YDS APPROX, 350F CURE *SDS & CERTS*	11/22/2026	85
HCS2401-045-05	PREPREG FIBERGLASS, BMS8-139 ST120- HEXCEL ***CUT TO 38" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 120 (F161-108) 350F CURE *SDS & CERTS*	11/22/2026	1
HCS2401-045-10	PREPREG FIBERGLASS, BMS8-139 ST120- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 120 (F161-108) 350F CURE *SDS & CERTS*	11/22/2026	1
HCS2401-045-10	PREPREG FIBERGLASS, BMS8-139 ST120- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 120 (F161-108) 350F CURE *SDS & CERTS*	11/22/2026	3
HCS2402-060	PREPREG GRAPHITE BMS8-297-2, CYTEC 60" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-297-2 3K70PX TYPE IV, CL 2, FM H WITHOUT TRACER (CYCOM 934/PX T300) 1 ROLL = 60" X 65 YDS APPROX, 350F CURE *SDS & CERTS* *BUYER MUST PROVIDE IN WRITING THE END USER, END DESTINATION & ULTMIATE END USE OF PRODUCT PRIOR TO ORDER PROCESSING* *EXPORT LICENSE MAY BE REQUIRED*	11/26/2026	59
HCS2402-060	PREPREG GRAPHITE BMS8-297-2, CYTEC 60" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-297-2 3K70PX TYPE IV, CL 2, FM H WITHOUT TRACER (CYCOM 934/PX T300) 1 ROLL = 60" X 65 YDS APPROX, 350F CURE *SDS & CERTS* *BUYER MUST PROVIDE IN WRITING THE END USER, END DESTINATION & ULTMIATE END USE OF PRODUCT PRIOR TO ORDER PROCESSING* *EXPORT LICENSE MAY BE REQUIRED*	11/26/2026	4.33
HCS2402-060-05	PREPREG GRAPHITE BMS8-297-2- CYTEC ***CUT TO 60" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-297-2 3K-70-PX TYPE IV, CL 2, FM H WITHOUT TRACER (CYCOM 934/PX T300 ST) 350F CURE *SDS & CERTS* *BUYER MUST PROVIDE IN WRITING THE END USER, END DESTINATION, & ULTIMATE END USE OF PRODUCT PRIOR TO ORDER PROCESSING. *EXPORT LICENSE MAY BE REQUIRED.	11/26/2026	1
HCS2402-060-10	PREPREG GRAPHITE BMS8-297-2- CYTEC ***CUT TO 60" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS 8-297-2 3K-70-PX TYPE IV, CL 2, FM H WITHOUT TRACER (CYCOM 934/PX T300 ST) 350F CURE *SDS & CERTS* *BUYER MUST PROVIDE IN WRITING THE END USER, END DESTINATION, & ULTIMATE END USE OF PRODUCT PRIOR TO ORDER PROCESSING. *EXPORT LICENSE MAY BE REQUIRED.	11/26/2026	1
HCS2402-060-10	PREPREG GRAPHITE BMS8-297-2- CYTEC ***CUT TO 60" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS 8-297-2 3K-70-PX TYPE IV, CL 2, FM H WITHOUT TRACER (CYCOM 934/PX T300 ST) 350F CURE *SDS & CERTS* *BUYER MUST PROVIDE IN WRITING THE END USER, END DESTINATION, & ULTIMATE END USE OF PRODUCT PRIOR TO ORDER PROCESSING. *EXPORT LICENSE MAY BE REQUIRED.	11/26/2026	1
HCS2406-019	3M EC 3917 SCOTCH-WELD STRUCTURAL ADHESIVE PRIMER, GALLON, COLOR YELLOW-GREEN, STORE AT OR BELOW 39 DEG F ** DANGEROUS GOODS SHIPPERS DEC REQ ** *SDS & CERTS*	11/26/2026	1
HCS2406-021	Primer, 3M, A50TF276 & SS8612, REV. 15, -012, EC-3917 STRUCTURAL ADHESIVE PRIMER, QUART, STORE AT OR BELOW 0 DEG F, ** SDS & CERTS **, Dangerous Goods Shippers Dec. Req.	11/26/2026	7
HCS2402-040-05	PREPREG GRAPHITE BMS8-256- CYTEC ***CUT TO 42" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-256 3K-70-PW TYPE IV, CL 2, (CYCOM 970/PWC T300 3K UT) 350F CURE *SDS & CERTS*	11/27/2026	1
HCS2402-040-10	PREPREG GRAPHITE BMS8-256- CYTEC ***CUT TO 42" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-256 3K-70-PW TYPE IV, CL 2, (CYCOM 970/PWC T300 3K UT) 350F CURE *SDS & CERTS*	11/27/2026	6
HCS2402-040-10	PREPREG GRAPHITE BMS8-256- CYTEC ***CUT TO 42" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-256 3K-70-PW TYPE IV, CL 2, (CYCOM 970/PWC T300 3K UT) 350F CURE *SDS & CERTS*	11/27/2026	1
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	12/01/2026	61
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	12/01/2026	61
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	12/01/2026	61
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	12/01/2026	61
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	12/01/2026	61

HEATCON COMPOSITES SYSTEMS
US Location - Materials Expiring List
Last Updated: 102626

HCS Part #	Part Description	Expr. Date	O/H Qty
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	61	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	61	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	61	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	49	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	49	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	57	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	57	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	56	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	56	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	56	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	56	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	56	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	62	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	62	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	54	12/01/2026
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	54	12/01/2026
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	12/03/2026
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	12/03/2026
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	12/03/2026
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	12/03/2026
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	12/03/2026
HCS2405-010	ADHESIVE, BMS5-90 TYIII CL1 GR50, REV. Y, CYTEC (FM490A) CORE SPLICE ADHESIVE FOAM 1 ROLL= .050" X 1" X 25' APPROX. STORE AT OR BELOW 0 DEG F 250/350F CURE *SDS & CERTS* *** 4 ROLL MIN BUY ***	1	12/03/2026
HCS2406-012	ADHESIVE PRIMER STRUCTURAL, 3M EW 5000, GALLON, BMS 5-89 TY III REV T, BMS 5-137 TYPE I CL 4 REV M, AMBIENT TEMPERATURE DRYING, 250 DEGREE CURE,STORE IN REFRIGERATED CONDITION 35-55 DEGREES F , DO NOT FREEZE. DANGEROUS GOODS SHIPPERS DEC. REQ. ** SDS AND CERTS REQUIRED **	2	12/04/2026
HCS2402-102	PREPREG FABRIC, HEXCEL P/N 900048,NMS 128/3 Rev B, NMS 128 Rev D, AGP193P(NT)/8552S; 38%;193AW, 1 ROLL = 50" X 73 YDS APPROX, STORE AT OR BELOW 0 DEG F ** SDS AND CERTS *, ***Full Roll MOQ***	73	12/09/2026
HCS2402-102	PREPREG FABRIC, HEXCEL P/N 900048,NMS 128/3 Rev B, NMS 128 Rev D, AGP193P(NT)/8552S; 38%;193AW, 1 ROLL = 50" X 73 YDS APPROX, STORE AT OR BELOW 0 DEG F ** SDS AND CERTS *, ***Full Roll MOQ***	63	12/09/2026
HCS2402-102	PREPREG FABRIC, HEXCEL P/N 900048,NMS 128/3 Rev B, NMS 128 Rev D, AGP193P(NT)/8552S; 38%;193AW, 1 ROLL = 50" X 73 YDS APPROX, STORE AT OR BELOW 0 DEG F ** SDS AND CERTS *, ***Full Roll MOQ***	60	12/09/2026
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	35	12/16/2026
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	35	12/16/2026
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	100	12/16/2026

HEATCON COMPOSITES SYSTEMS
US Location - Materials Expiring List
Last Updated: 102626

HCS Part #	Part Description	Expr. Date	O/H Qty
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	100	12/16/2026
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	30	12/16/2026
HCS2403-015	PREPREG KEVLAR BMS8-219 ST285, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (K285 38" F155-71:52%) 1 ROLL = 38" X 65 YARDS APPROX, 250F CURE *SDS & CERTS*	30	12/16/2026
HCS2403-015-05	PREPREG KEVLAR BMS8-219 ST285- HEXCEL ***CUT TO 38" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (F155-71) 250F CURE *SDS & CERTS*	3	12/16/2026
HCS2403-015-10	PREPREG KEVLAR BMS8-219 ST285- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F. BMS8-219 ST 285 (F155-71) 250F CURE *SDS & CERTS*	2	12/16/2026
HCS2404-170	ADHESIVE FILM, Henkel, BMS5-101 TYPE II GRADE 10 & BMS5-129 TYPE 2 AND TYPE 4 CLASS IIE GRADE 10 REV L & DMS2465 TY1 CL1 GRA, EA9696 .060NW, Roll Size 36" Width X 55 YDS Length, Store at or below 0 degrees F, **SDS&Certs**	0.66	12/16/2026
HCS2404-170-05	ADHESIVE FILM, Henkel, BMS5-101 TYPE II GRADE 10 & BMS5-129 TYPE 2 AND TYPE 4 CLASS IIE GRADE 10 REV L & DMS2465 TY1 CL1 GRA, EA9696 .060NW, Roll Size 36" Width X 5 YDS Length, Store at or below 0 degrees F, **SDS&Certs**	1	12/16/2026
HCS2404-170-10	ADHESIVE FILM, Henkel, BMS5-101 TYPE II GRADE 10 & BMS5-129 TYPE 2 AND TYPE 4 CLASS IIE GRADE 10 REV L & DMS2465 TY1 CL1 GRA, EA9696 .060NW, Roll Size 36" Width X 10 YDS Length, Store at or below 0 degrees F, **SDS&Certs**	3	12/16/2026
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	79	12/23/2026
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	83	12/23/2026
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	83	12/23/2026
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	82.75	12/23/2026
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	83	12/23/2026
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	83	12/23/2026
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	83.75	12/23/2026
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	83	12/23/2026
HCS2401-055	PREPREG FIBERGLASS, BMS8-139 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-139 CL 1 STY 1581 (1581 38" F161-108:36%) 1 ROLL = 38" X 60 YDS APPROX, 350F CURE *SDS & CERTS*	3.75	12/23/2026
HCS2401-055-05	PREPREG FIBERGLASS, BMS8-139 ST1581- HEXCEL ***CUT TO 38" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 1581 (F161-108) 350F CURE *SDS & CERTS*	1	12/23/2026
HCS2401-055-10	PREPREG FIBERGLASS, BMS8-139 ST1581- HEXCEL ***CUT TO 38" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-139 CL 1 STY 1581 (F161-108) 350F CURE *SDS & CERTS*	2	12/23/2026
HCS2401-075	PREPREG FIBERGLASS, BMS8-154 STY 6581,HEXCEL 38" WIDE, BMS8-154 TYIII CL 1 GR A STY 6581 (6581 38" F161-138:34%) 1 ROLL = 38" X 60 YDS APPROX, STORE AT OR BELOW 10 DEG F, 350F CURE *SDS & CERTS*	71.75	12/24/2026
HCS2401-075	PREPREG FIBERGLASS, BMS8-154 STY 6581,HEXCEL 38" WIDE, BMS8-154 TYIII CL 1 GR A STY 6581 (6581 38" F161-138:34%) 1 ROLL = 38" X 60 YDS APPROX, STORE AT OR BELOW 10 DEG F, 350F CURE *SDS & CERTS*	99.75	12/24/2026
HCS2401-075-05	PREPREG FIBERGLASS, BMS8-154 STY 6581,HEXCEL CUT TO 38" X 5 YDS, STORE AT OR BELOW 10 DEG F. BMS8-154 TYIII CL 1 GR A STY 6581 (6581 38" F161-138:34%), 350F CURE *SDS & CERTS*	3	12/24/2026
HCS2401-075-10	PREPREG FIBERGLASS, BMS8-154 STY 6581,HEXCEL 38" X 10 YDS, STORE AT OR BELOW 10 DEG F. BMS8-154 TYIII CL 1 GR A STY 6581 (6581 38" F161-138:34%), 350F CURE *SDS & CERTS*	2	12/24/2026
HCS2401-075-10	PREPREG FIBERGLASS, BMS8-154 STY 6581,HEXCEL 38" X 10 YDS, STORE AT OR BELOW 10 DEG F. BMS8-154 TYIII CL 1 GR A STY 6581 (6581 38" F161-138:34%), 350F CURE *SDS & CERTS*	3	12/24/2026
HCS2405-015	CYM FM410-1 CORE SPLICE SHEET 0.050" THICKNESS STORE AT OR BELOW -0- DEG F 1' X 2' , ***SDS & OEM CERTS*** Must be purchased in 5 sheet increments Cytec 777, Rev. C, Commercial Certifications AMS 3689, Rev. B AMS 3688, Rev. B SMS 38, Issue 5, Grade 50 NAI 1412, Rev D. RC R104074, Type 4, Class D STM M503, Rev. A, Type I, Grade A PCS 5134, Revision, C, Type I BAMS 551-007, Revision C, Class I or II, Grade 2 NM 3027, Rev. L, Type II, Class 250/350L, Grade 50 (NM 3027-2) GMS 4302, Rev. C, Type I (GMS4302-1) and Type II (GMS 4302-2) GMS 4302, Rev. C, Type II (GMS 4302-3) and Type IV (GMS 4302-4) DHMS A6.06, Rev. D	20	12/30/2026
HCS2402-050	PREPREG GRAPHITE BMS8-297, CYTEC 60" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-297 3K-70-PW TYPE IV, CL 2, (CYCOM 934/PWC T300) 1 ROLL= 60" X 65 YDS APPROX, 350 DEG F CURE *SDS & CERTS* *ULTIMATE END USER, END DESTINATION & END USE OF PRODUCT REQUIRED IN WRITING PRIOR TO ORDER PROCESSING.	0.33	01/04/2027
HCS2404-234	ADHESIVE FILM, BMS5-137 TY II CL 2 GR 5 REV M, CYTEC FM377U 0.055 PSF, 48" WIDE X 63 YDS APPROX. STORE AT OR BELOW 0 DEG F *SDS & CERTS*	62.49	01/08/2027
HCS2404-234	ADHESIVE FILM, BMS5-137 TY II CL 2 GR 5 REV M, CYTEC FM377U 0.055 PSF, 48" WIDE X 63 YDS APPROX. STORE AT OR BELOW 0 DEG F *SDS & CERTS*	62.49	1/8/2027
HCS2405-010	ADHESIVE, BMS5-90 TYIII CL1 GR50, REV. Y, CYTEC (FM490A) CORE SPLICE ADHESIVE FOAM 1 ROLL= .050" X 1" X 25' APPROX. STORE AT OR BELOW 0 DEG F 250/350F CURE *SDS & CERTS* *** 4 ROLL MIN BUY ***	12	1/8/2027

HEATCON COMPOSITES SYSTEMS
US Location - Materials Expiring List
Last Updated: 102626

HCS Part #	Part Description	Expr. Date	O/H Qty
HCS2405-010	ADHESIVE, BMS5-90 TYIII CL1 GR50, REV. Y, CYTEC (FM490A) CORE SPLICE ADHESIVE FOAM 1 ROLL= .050" X 1" X 25' APPROX. STORE AT OR BELOW 0 DEG F 250/350F CURE *SDS & CERTS* *** 4 ROLL MIN BUY ***	12	01/08/2027
HCS2405-010	ADHESIVE, BMS5-90 TYIII CL1 GR50, REV. Y, CYTEC (FM490A) CORE SPLICE ADHESIVE FOAM 1 ROLL= .050" X 1" X 25' APPROX. STORE AT OR BELOW 0 DEG F 250/350F CURE *SDS & CERTS* *** 4 ROLL MIN BUY ***	12	01/08/2027
HCS2405-010	ADHESIVE, BMS5-90 TYIII CL1 GR50, REV. Y, CYTEC (FM490A) CORE SPLICE ADHESIVE FOAM 1 ROLL= .050" X 1" X 25' APPROX. STORE AT OR BELOW 0 DEG F 250/350F CURE *SDS & CERTS* *** 4 ROLL MIN BUY ***	4	01/08/2027
HCS2405-010	ADHESIVE, BMS5-90 TYIII CL1 GR50, REV. Y, CYTEC (FM490A) CORE SPLICE ADHESIVE FOAM 1 ROLL= .050" X 1" X 25' APPROX. STORE AT OR BELOW 0 DEG F 250/350F CURE *SDS & CERTS* *** 4 ROLL MIN BUY ***	12	01/08/2027
HCS2405-010	ADHESIVE, BMS5-90 TYIII CL1 GR50, REV. Y, CYTEC (FM490A) CORE SPLICE ADHESIVE FOAM 1 ROLL= .050" X 1" X 25' APPROX. STORE AT OR BELOW 0 DEG F 250/350F CURE *SDS & CERTS* *** 4 ROLL MIN BUY ***	12	01/08/2027
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	01/14/2027
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	01/14/2027
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	01/14/2027
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	01/14/2027
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	01/14/2027
HCS2401-013	PREPREG, ISOVOLTA, IPS05-29-002-01 & ABS 5857 & AIMS05-29-00PART1 , AIRPREG PECF6550 T2F2, ROLL SIZE 65" WIDTH X 39.37 YDS, STORE AT OR BELOW 0 DEG F, * SDS AND CERTS REQUIRED*	1	01/14/2027
HCS2402-015	PREPREG GRAPHITE BMS8-168, HEXCEL 42" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-168 3K-70-PW TYPE II & III, CL 2, (AS4CGP193P;155A;42%;42") 1 ROLL= 42" WIDE X 75 YDS APPROX, 250F CURE *SDS & CERTS*	45	01/14/2027
HCS2402-015-05	PREPREG GRAPHITE BMS8-168- HEXCEL ***CUT TO 42" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-168 3K-70-PW TYPE II & III, CL2 (AS4CGP193P;155A;42%;42") 250F CURE *SDS & CERTS*	1	01/14/2027
HCS2402-015-10	PREPREG GRAPHITE BMS8-168- HEXCEL ***CUT TO 42" X 10 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-168 3K-70-PW TYPE II & III, CL2, (AS4CGP193P;155A;42%;42") 250F CURE *SDS & CERTS*	3	01/14/2027
HCS2402-086	PREPREG GRAPHITE, BMS8-276 TORAY 38" WIDE, STORE AT OR BELOW 10 DEG F, BMS8-276 TY40 CL2 STYLE 12K-70-PW FORM 4 COMP LEVEL 1 REV AG (T700G 38" 3900-2 193/40%) F6273-30K-965, 1 ROLL = 38" WIDE X 61 YDS APPROX ** SDS & CERTS REQUIRED**	103.87	01/18/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	56	01/19/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	56	01/19/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	56	01/19/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	56	01/19/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	56	01/19/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	4	01/19/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	4	01/19/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	55	01/19/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	55	01/19/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	60	01/19/2027
HCS2401-025	PREPREG FIBERGLASS, BMS8-79 ST1581, HEXCEL 38" WIDE, STORE AT OR BELOW 10 DEG F. BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E(1581 38" F155-5:38%) 1 ROLL = 38" X 65 YDS APPROX, 250F CURE *SDS & CERTS*	60	01/19/2027
HCS2401-025-05	PREPREG FIBERGLASS, BMS8-79 ST1581- HEXCEL ***CUT TO 38" X 5 YD LENGTH*** STORE AT OR BELOW 10 DEG F BMS8-79 CL III STY 1581 GRADE A OR B FORM A REV. A/E (F155-5) 250F CURE *SDS & CERTS*	1	1/19/2027
HCS2404-235	ADHESIVE FILM, BMS5-137 TY II CL 1 GR 10 REV M, CYTEC FM377S 0.08 PSF 48" WIDE X 55 YDS ** STORE AT OR BELOW 0 DEG F ** *SDS & CERTS REQUIRED*	9.16	1/22/2027
HCS2406-010	PRIMER, QT, CYTEC BR127. ADHESIVE PRIMER CORROSION INHIBITING, SPRAY/BRUSH 250F CURE STORE AT OR BELOW 0 DEG F POT LIFE 4 DAYS AT 65-90 DEG F DANGEROUS GOODS SHIPPERS DEC. REQ. *SDS & CERTS & IATA*, CERTIFIED TO BMS5-89 TY 1 GR A, HMS20-2128 CL 2 FM 1, SCGMS56033 REV D CL 1&2, MIL-A-25463 REV B TY 1 CL 2 GR 3, MMM-A-132 REV B TY 1 CL 2 FM F GR 3, MAP-CC10589 REV G, 2308405 REV G (LM-CC10589A), C182630 REV B (C182630-1), CYTEC SPEC, PS 21330 REV AU, 13304463 REV C	30	1/22/2027

HEATCON COMPOSITES SYSTEMS
US Location - Materials Expiring List
Last Updated: 102626

HCS Part #	Part Description	Expr. Date	O/H Qty
HCS2404-070	ADHESIVE FILM, BMS5-101 TYII GR15 & A50TF197-S9 CL B, REV. N. KNIT WT .085, 3M (AF163-2K) KNIT SUPPORTING CARRIER BLUE 1 ROLL=36" X 50 YD APPROX STORE AT OR BELOW 0 DEG F 250F CURE ** SDS & CERTS** * DANGEROUS GOODS SHIPPERS DECLARATION REQUIRED **	25	01/28/2027
HCS2404-070	ADHESIVE FILM, BMS5-101 TYII GR15 & A50TF197-S9 CL B, REV. N. KNIT WT .085, 3M (AF163-2K) KNIT SUPPORTING CARRIER BLUE 1 ROLL=36" X 50 YD APPROX STORE AT OR BELOW 0 DEG F 250F CURE ** SDS & CERTS** * DANGEROUS GOODS SHIPPERS DECLARATION REQUIRED **	50	01/28/2027
HCS2405-010	ADHESIVE, BMS5-90 TYIII CL1 GR50, REV. Y, CYTEC (FM490A) CORE SPLICE ADHESIVE FOAM 1 ROLL= .050" X 1" X 25' APPROX. STORE AT OR BELOW 0 DEG F 250/350F CURE *SDS & CERTS* *** 4 ROLL MIN BUY ***	2	1/8/2027